

PRO-Landscape Lighting Brand

BETALUX

Vol. 2025

2025 서울국제정원박람회(보라매공원)



BX-P063

BETALUX

Path

BX-213C
 Cast Aluminum
 24V / 7W / 3,000K
 138 x 600/800 x 33 mm



○ ● ●

BX-P063
 Cast Aluminum
 12V / 10W / 3,000K
 146 x 400/800 x 20 mm

○ ● ●

BX-B207
 Cast Aluminum
 12-24V / 7W / 3,000K
 120 x 600/800/1,000 mm

●



BX-P064

Aluminum, Brass shade
12V / 6W / 3,000K
125 x 380/800 mm




BX-B210

Aluminum, P.P.
24V / LED 12W / 3,000K
150 x 600 mm




BX-B208

Aluminum
12-24V / 7W / 3,000K
120 x 600 mm




BX-B218F

Aluminum, Polycarbonate
12-24V / 3W / 3,000K
65 x 300/400/600 mm




BX-B218H

Aluminum, Polycarbonate
12-24V / 3W / 3,000K
65 x 300/400/600 mm



BX-B218C

Aluminum, Polycarbonate
12-24V / 3W / 3,000K
65 x 300/400/600 mm




BX-B232

Aluminum, Glass
12V / 3W / 3,000K
70 x 697 mm




BX-B233

Aluminum
12V / 3,000K
0.5W : 60 x 400 mm
1.5W : 60 x 600 mm
3W : 60 x 900 mm



BX-B216

Aluminum
12V / 2W / 3,000K
75 x 400/600/800 mm




BX-B217

Aluminum
12V / 5W / 3,000K
135 x 300/600/800/1,000 mm




BXE-787

Aluminum
12V / 5W / 3,000K
32 x 140 x 508 mm




BX-860

Aluminum
24V / 13W / 2,700K
120 x 400/600/800 mm




BX-861

Aluminum
24V / 13W / 2,700K
120 x 400/600/800 mm




BX-862

Aluminum
24V / 13W / 2,700K
120 x 400/600/800 mm



BX-863

Aluminum
24V / 13W / 2,700K
120 x 400/600/800 mm



BXE-711

Aluminum, Glass
12V / 1.5W / 3,000K
80 x 127 mm



BX-B93
 Aluminum, PC
 220V / 8W(일체형) / 3,000K
 163 x 300/400/650 mm

BX-B229
 Aluminum
 24V / 8W / 3,000K
 88 x 700 mm

BX-T404
 Aluminum, PMMA
 24V / 1.5W / 3,000K
 107 x 500/700/900/1,100 mm

BX-B228
 Aluminum, PMMA
 24V / 4W / 3,000K
 105 x 280/400/600/700 mm

BX-707
 Brass
 12V / 4W / 2,700K
 142 x 556 x 25 mm

BX-707A
 Aluminum
 12V/1,2,3W(조절가능일체형) 2,700K
 156 x 534 x 22 mm

BX-950
 Brass
 12V / 4W / 3,000K
 203 x 524 mm

BX-940
 Brass
 12V / 4W / 3,000K
 152 x 455 mm

BX-942
 Brass
 12V / 4W / 3,000K
 161 x 571 mm

BX-700
 Brass
 12V / 4W / 3,000K
 156 x 545 mm

BX-B290
 Aluminum
 24V / 개당3W / 3,000K
 36 x 600/900/1,200 mm

BX-B291
 Aluminum
 220V / 10W / 3,000K
 150 x 600 mm

BX-B292
 Aluminum
 220V / 28W / 3,000K
 200 x 920 mm

BX-B297
 Aluminum
 220V / 10W / 3,000K
 100 x 600 mm

BX-B293
 Aluminum
 220V / 28W / 3,000K
 200 x 920 mm

BX-B294
 Aluminum
 220V / 10W / 3,000K
 120 x 1,100 mm

BX-B295
 Aluminum
 220V / 10W / 3,000K
 210 x 500/800 mm

BX-B298
 Aluminum, SS
 220V / 20W / 3,000K
 200 x 200/500/800 mm

BX-B296
 Aluminum, SS
 220V / 10W / 3,000K
 150 x 800 mm

BX-B299
 Aluminum
 220V / 10W / 3,000K
 200 x 800 mm

BX-B300
 Aluminum
 220V / 10W / 3,000K
 120 x 1,000 mm

BX-B301
 Aluminum
 24V / 개당 8W / 3,000K
 A : 110 x 600 mm
 B : 110 x 650 mm

BX-B222
 Aluminum
 220V / 3Wx3EA / 3,000K
 150 x 600/800/1,000 mm

BX-B223
 Aluminum, PMMA
 24V / 5W / 3,000K
 60 x 600/800 mm

BX-B15
 Aluminum, Glass
 220V / 4.5W / 2,700K
 180 x 700 mm

BX-P23F
 Aluminum, Polycarbonate
 Anti-UV Protection Powder Coating
 24V / 24W / 2,700K
 220 x 2,000 mm

BX-P23C
 Aluminum, Polycarbonate
 Anti-UV Protection Powder Coating
 24V / 24W / 2,700K
 220 x 2,000 mm




BETALUX

Spot




BX-730

Aluminum/SS/Glass
12V / 2W / 3,000K
75 x 40 x Φ 21 mm
BKT / WHT / BRN / GRY




BX-731


Aluminum/SS/Glass
24V / 5W / 3,000K
100 x 75 x Φ 38 mm
BKT / WHT / BRN / GRY




BX-732

Aluminum/SS/Glass
24V / 15W / 3,000K
140 x 104 x Φ 62 mm
BKT / WHT / BRN / GRY






BX-727
 Aluminum, Glass
 12V / 3,000K
 5W : 93 x 75 x 43 mm
 10W : 128 x 80 x 63




BX-729
 Aluminum, Glass
 12V / 7W / 3,000K
 120 x 165 mm




BX-S45-24
 Aluminum, Glass
 24V / 5W / 2,700K
 70 x 57 mm




BX-S43-12
 Aluminum, Metal, Acrylic
 12/220V / 6W / 2,700K
 108 x 40 x 600 mm




BX-384
 Aluminum, Glass
 12V / 4W / 3,000K
 152 x 95 x 63 mm




BX-380
 Brass, Glass
 12V / 2.5W / 3,000K
 101-127 x 35 mm




BX-475
 Brass, Glass
 12V / 5W / 3,000K
 157 x 57 mm




BX-752
 Brass, Glass
 12V / 2.5W / 2,700K
 120 x 41 mm






BX-900

Brass, Glass
12V / 4.5W / 3,000K
216 x 62 mm




BX-906

Brass, Glass
12V/6~24W/2,700~6,000K
(밝기/색온도 조절가능)
165 x 85 x 160 mm




BX-907

Brass, Glass
12V / 4.5W / 3,000K
113 x 69 mm




BX-750

Brass, Convex Glass
12V / 5W
2,700 / 3,000K
113 x 53 mm




BX-756

Aluminum
12~24V / 7W / 3,000K
120 x 80 mm




BX-757V

Brass, Convex Glass
12V/3~12W/2,700~6,000K
(밝기/색온도 조절가능)
183 x 64 x 109 mm



BX-B52


Aluminum, Glass
220V / 6W / 3,000K
115 x 160 x 60 mm



BX-B53

Aluminum, Glass
220 / 6W / 3,000K
100 x 152 x 60 mm






BX-B41S

Aluminum, Glass
220V / 3W / 3,000K
65 x 56 x 50 mm



BX-B41

Aluminum, Glass
220V / 11W / 3,000K
90 x 78 x 70mm



BX-B42

Aluminum, Glass
220V / 8W / 3,000K
128 x 145 x 85 mm



BX-B43

Aluminum, Glass
220V / 11W / 3,000K
180 x 245 x 125 mm




BX-B45

Aluminum, Glass
220V / 12W / 3,000K
140 x 176 x 82mm




BETALUX

Recessed




BX-B75

Stainless Steel 316, Glass
24V:3.5W / 220V:5W
2,700/3,000/4,000K
24V:50 x 63 mm
220V:50 x 100 mm



BX-B79


Stainless Steel 316
220V / 2.6W
3,000/4,000/6,000K
55 x 86 mm



BX-488


Brass, Glass, PC
12V / 4.5W
3,000K
102 x 132 mm






BX-B71

Stainless Steel 316
12V / 0.6W / 3,000K
Φ20 x 40 mm




BX-B72

Stainless Steel 316
12-24V / 0.6W / 3,000K
Φ30 x 40 mm




BX-B73

Stainless Steel 316
220V / 12W(각도조절가능)
3,000/4,000/6,000K
Φ160 x 153 mm




BX-B74

Stainless Steel 316
24V / 1.5W
2,700/3,000/3,500/4,000K
Φ25 x 50 mm




BX-B76

Stainless Steel 316, Glass
24/220V / 7W
2,700/3,000/3,500/4,000K
220V: Φ75 x 118.5 mm
24V: Φ75 x 95 mm




BX-B77

Stainless Steel 316, Glass
220V / 12W
3,000/4,000/6,000K
Φ173 x 38 mm




BX-B78

Cast Aluminum
12-24V / 1.2W
3,000/4,000/6,000K
Φ70 x 14 mm




BX-B80

Cast Aluminum
24V / 6W
3,000/4,000/6,000K
Φ120 x 33 mm



BX-B81

Cast Aluminum
220V / 9W
3,000/4,000/6,000K
120 x 40 mm




BX-488S

Stainless Steel, Honey-comb,
Aluminum 6063, Glass
12-24V / 1W / 3,000K
Φ35 x 42 mm




BX-488

Brass, PC, Glass
12V / 4.5W / 3,000K
102 x 132 mm



BX-480

Brass PVC, Glass
12V / 7W / 3,000K
Φ126 x 120 mm



BETALUX



Step n Wall



BX-066

Brass


12V / 3W / 3,000K
46.9 x 61.7 x 35.4 mm
M.BKT / G.BKT / ATZ



BX-067

Brass


12V / 3W / 3,000K
38.4 x 50 x 27.1 mm
M.BKT / G.BKT / ATZ




BX-477

Brass


12V / 2W / 3,000K
46 x 86 mm
M.BKT / G.BKT / ATZ






BX-B86

Aluminum, SS 316
24/220V / 2.5W
3,000/4,000/6,000K
Φ78.5 x 53 mm





BX-B87

Aluminum, SS 316
24/220V / 2.5W
3,000/4,000/6,000K
78.5 x 78.5 x 53 mm




BX-B88

Cast Aluminum
12-24V / 1W
2,700/3,000/4,000K
Φ45 x 53 mm




BX-B89

Cast Aluminum
12-24V / 1W
2,700/3,000/4,000K
45 x 45 x 53 mm




BX-B90

Cast Aluminum
12-24V / 3W / 5W
2,700/3,000/4,000K
Φ64 x 102 mm




BX-B91

Cast Aluminum
12-24V / 3W / 5W
2,700/3,000/4,000K
64 x 64 x 102 mm




BX-B92

Cast Aluminum
12-24V / 1W
2,700/3,000/4,000K
Φ45 x 53 mm




BX-B99

Cast Aluminum
220V / 2.5W / 6W
3,000/4,000/6,000K
171 x 106 x 65 mm




BX-B94

Cast Aluminum
220V / 2.5W / 6W
3,000/4,000/6,000K
171 x 106 x 65 mm




BX-B95

Cast Aluminum
220V / 2.5W / 6W
3,000/4,000/6,000K
171 x 106 x 65 mm




BX-B96

Cast Aluminum
220V / 3W / 6W
3,000/4,000/6,000K
Φ116 x 36 mm




BX-B97

Cast Aluminum
220V / 3W / 6W
3,000/4,000/6,000K
116 x 116 x 38.9 mm




BX-B98

Cast Aluminum
220V / 6W / 3,000K
225 x 81 x 30 mm





BX-777

Brass
12V / 2W
2,700/3,000/4,000/6,000K
225 x 81 x 30 mm



BX-778

Brass
12V / 3W
2,700/3,000/4,000/6,000K
126 x 73 x 22.8 mm




BX-779

Brass
12V / 5W
2,700/3,000/4,000/6,000K
231 x 73 x 22.8 mm



BETALUX

Underwater




BX-713W

Brass / Glass
12V / 5.7W
2,700 / 3,000K
112 x 133 x Φ 82 mm




BX-W121

Stainless Steel
316/Glass
24V / 3W
3,000/4,000/6,000K
 Φ 42 x 102 x 77 mm




BX-W124


Stainless Steel
316/Glass
24V / 18W
3,000/4,000/6,000K
 Φ 153 x 163 mm



BX-W127


Stainless Steel
316/Glass
24V / 12W
3,000/4,000/6,000K
 Φ 180 x 54 mm





BX-W120

Stainless Steel 316, Glass
DC24V / 1, 3, 6, 10, 15W
2,700/3,000/4,000/5,700K
Φ40/Φ50/Φ65/Φ74/Φ110
x 70 mm



BX-W123

Stainless Steel 316, Glass
DC24V / 10W
3,000/4,000/6,000K
Φ63.5 x 70 x 97.3 mm



BX-W122

Stainless Steel316/Glass
DC24V / 5W
3,000/4,000/6,000K
Φ65 x 75 x 155 mm



BX-W125

Stainless Steel316/Glass
DC24V / 1.5W
3,000/4,000/6,000K
Φ38 x 65 mm



BX-W126

Stainless Steel316/Glass
DC24V / 2W
3,000/4,000/6,000K
Φ68.5 x 75 mm





BETALUX

Etc.



BX-ST100

COB LED Dot-free Strip
 24V / 10W/m
 5,000 x 8 mm
 3,000/4,000/6,500K
 R / G / B




BX-N0101

Polyethylene
 12V / 3,6,9W / 3,000K
 Φ300/Φ600/Φ800 mm



BX-N3206

Carbon Steel
 12V / 3W / 3,000K
 640 x 450 mm





BX-T400

Stainless Steel, PMMA
12V / LED 1W / 3,000K
Φ10 x 700 mm



BX-T401

Aluminum, PP
24V / 12W / 3,000K
150 x 600 mm




BX-N5005

Polyethylene
12V / 5,9,7W / 2,700K
S : 260 x 140 x 270 mm
M : 450 x 260 x 500 mm
L : 680 x 390 x 800 mm




BX-N2138

Carbon Steel, PE
12V / LED 12W / 3,000K
550 x 1,920 mm




BX-B82

Aluminum Profile, PMMA
24V / 5W/m
3,000/4,000/6,000K
5 x 15.4 mm





BX-B83

Aluminum Profile, PMMA
24V / 10W/m
3,000/4,000/6,000K
A : 20.2 x 16.2 mm
B : 20.4 x 40 mm
A : 36.4 x 35 mm




BX-B84

Stainless Steel 316, Glass
24V / LED 12W
2,700/3,000/4,000/6,000K
32 x 70 x 1,000 mm




BX-B85

Stainless Steel 316, Glass
24V / LED 24/48W
2,700/3,000/4,000/6,000K
62 x 80 x 1,000 mm



BX-888H

Brass
12V / 4W / 2,700K
58 x 167 mm



BX-889H

Brass
12V / 4W / 2,700K
58 x 187 mm



BETALUX
SINCE 2005

(주)비엔디 | 베타룩스

본사: 경기 화성시 동탄대로637, 삼성어반타워214호

공장: 경기 성남시 중원구 사기막골로124, SKn테크노파크 넥스동 304호

T.02-408-3678 F.02-6442-3672

@betalux.official(인스타그램) | www.betalux.co.kr | betalux@daum.net

Pro - Landscape Lighting Brand

